

BOSE INSTITUTE  
KOLKATA

Tender No.	<b>CAPSS/15/35/(SMS/AM)/13-14</b>
Tender Date	<b>12/07/2013</b>
Tender Type	<b>OPEN</b>

Tender Title	<b>Integrated KVM Console</b>
Specification	<b>Please see Annexure - 1</b>
Quantity	<b>1 Set (One)</b>

Last Date & Time for submission	<b>26/07/2013 upto 2:00 p.m.</b>
Date & Time for opening bids	<b>26/07/2013 at 3:00 p.m.</b>
Submission of Tender (address)	Block EN, Sec -V,CAPSS, Bose Institute, Salt Lake, Kolkata 700 091
Venue of bid opening	Do
For any query the interested bidders may contact (Dept./Section/Div./Unit)	033 2569 3108/2569 3106

**General Terms & Conditions**

Warranty	365 days from the date of satisfactory commissioning
Payment terms	Payment will be made after complete delivery of the instrument in good condition and satisfactorily installation.
Delivery schedule	Within 30 days from the date of receiving order & if any defect of the supplied item is found, it should be replaced immediately from your side.
Bid security (earnest money deposit) if applicable	NO
Submission of Performance Bank Guarantee (PBG), if applicable	NO
Any other information (if applicable)	Price if quoted in FE: i) Please quote with Freight & Insurance + handling charge (if any) for CIF Kolkata Airport ii) mode of payment with currency. iii) agency commission (if applicable). Price if quoted in INR: Please include necessary charge (if any) with additional tax (VAT etc.) for its delivery at our Kolkata address Quotation in INR or in FE should be 90 days validity minimum  Installation of item (address): <b>Bose Institute (Syamnagar Campus)</b> , Saheb Bagan (near Syamnagar Railway Station), Dist: North 24 Pargana, West Bengal

**Tender Title and Tender No should be mentioned on the envelop positively**

**Director, Bose Institute reserves the right to accept or reject any or all tenders either in part or in full . The reasons for rejecting the tender of a prospective bidder will be disclosed only when enquiries are made.**

Contd.....

## ***Integrated KVM Console***

### **1. Multi View KVM switch**

- ✓ One USB console should be able to individually and simultaneously control four DVI-D output computer based devices and at least two additional USB devices
- ✓ Console should support multi view for up to 4 screens.
- ✓ Upward compatible for connection of similar devices.
- ✓ Auto Scan feature
- ✓ Should be supported on a WINDOWS platform.

Detailed specifications are as follow

Supported Computer Connections		4	
Port Selection		Front panel push buttons, IR remote control, On-screen Display (OSD)	
Connectors	Console Port	Keyboard	USB type A
		Speaker	Mini Stereo Jack type
		Mouse	USB type A
		Video	DVI-D female
		Mic.	Mini Stereo Jack type
	KVM port	Keyboard/ Mouse	4 x USB type B female
		Video	4x DVI-D female
		Speaker	4 x Mini stereo Jack
		Mouse	4 x Mini stereo Jack
	USB Hub	USB Type A	
Switches	Push Buttons		
Emulation	Keyboard/Mouse	USB	
Video		1920 x 1200 @60 Hz (DVI-D)	
Scan Interval		Min. 1 Sec	
Housing		Metal	
Weight		Not more than 2.6 Kg	

## 2. Rack mounted LCD monitor with mouse and Keyboard

Computer Connections		1	
Console Selection		Hotkey	
Connectors	External Console Ports	Keyboard	1 x USB Type A Female
		Mouse	1 x USB Type A Female
		Monitor 1	1 x DVI-D Female
		Monitor 2	1 x HDB-15 Female
		Speaker	1 x Mini Stereo Jack Female
	KVM Ports	KB / Mouse	1 x USB Type B Female
		Monitor	1 x DVI-I Female
		Speaker	1 x Mini Stereo Jack Female
	External Mouse / Peripheral		1 x USB Type A Female
Power		1 x 3 AC Socket	
Switches	Reset	Pushbutton	
	Power	Rocker	
	F/W Upgrade	Slide	
	LED Power	Pushbutton	
	LED Adjustment	Pushbutton	
Emulation	Keyboard / Mouse	USB	
Video	1280 x 1024@75Hz, DDC2B		
Housing	Metal		
Weight	Less than 14 kg		