BOSE INSTITUTE P-1/12, CIT Scheme – VII M, Kolkata – 700 054 (INDIA)

**Corrigendum** 

to the Tender Notice No. BI-K/E-TEND/16/2016-17 Tender id : 2016\_BIK\_138838\_1 for procurement of PCIe 40 Board

Kindly <u>read 02 nos. quantity of PCIe 40 Board</u> instead of 01 in the page no. 2 of the NIT, without any change of specifications

All other terms and conditions for the aforesaid tender will remain unaltered.

Sr. Prof. & Incharge, Registrar's Office

BOSE INSTITUTE P-1/12, CIT Scheme – VII M, Kolkata – 700 054 (INDIA)

**Corrigendum** 

to the Tender Notice No. BI-K/E-TEND/16/2016-17 Tender id : 2016\_BIK\_138838\_1 for procurement of PCIe 40 Board

Kindly quote for <u>02 nos. quantities of PCIe 40 Board</u> instead of 01 in the BOQ in the respective columns

It may be stated that the quantity "01" as mentioned in "quantity column" cannot be changed. So the prospective bidder may note and quote their rates in the BOQ accordingly for "02" nos. of the PCIe 40 Board

All other terms and conditions for the aforesaid tender will remain unaltered.

Sr. Prof. & Incharge, Registrar's Office